


ALUMINIUM AND ZINC ANODES



AL / ZN / IN COMPOSITION:

Specification Code	A Guard
Fe	0.09%
Si	0.08 – 0.120%
Cu	0.003%
Zn	4.5 – 5.5%
In	0.015 – 0.020%
Others (each)	0.02% max
Aluminium	Remainder

ELECTRO CHEMICAL:

Potential Ag/AgCl	-1.05 Volts
-------------------	-------------

Min Capacity	2500 Ampere. hour / kg
--------------	------------------------


ZINC COMPOSITION:





Specification Code	US Mil Spec 18001 K
Cu	0.05% max
Al	0.010 – 0.50%
Fe	0.005% max
Cd	0.025 – 0.07%
Pb	0.006% max
Others (total)	0.10% max
Zn	Remainder


ELECTRO CHEMICAL:






Potential Ag/AgCl	-1.05 +/- 0.05V
-------------------	-----------------


Capacity	780 Ampere. hour / kg min.
----------	----------------------------




PRODUCT CODE	MCPS ALUMINIUM DISC HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
AGR2		0.35/ 0.4	-	-	25	-	100	-	M12	0
AGR5		0.75/ 0.8	-	-	35	-	138	-	40x5	100
AGR15		2.85/ 3	-	-	25	-	225	-	M16	100
AGWL16		7.1/ 8.5	-	-	30	-	345	-	40x5	500




PRODUCT CODE	MCPS ZINC DISC HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
ZGR250g		0.2/ 0.25	-	-	20	-	65	-	M10	0
ZGR1		0.4/ 0.5	-	-	25	-	70	-	M10	0
ZGR2		0.7/ 0.8	-	-	25	-	95	-	M10	0
ZGR2S		0.9/1	-	-	25	-	100	-	M10	0
ZGR5		2.3/ 2.5	-	-	35	-	138	-	M16	100
ZGR15		6.8/7	-	-	25	-	225	-	M16	100




PRODUCT CODE	MCPS ZINC DISC HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
ZGSR23		10.95/ 11.15	-	-	50	-	230	-	M16	100
ZGWL16		18.4/ 20	-	-	30	-	345	-	40x5	500




PRODUCT CODE	MCPS ALUMINIUM HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
MA5		0.4/ 0.45	140	70	20	180	-	-	20x3	180
MA15		1.3/ 1.5	150	100	38	250	-	-	20x3	250
MA25		2.1/ 2.5	305	102	40	365	-	-	20x3	365
MA50		4.3/5	445	125	40	505	-	-	40x5	505
MA80		7/8	640	125	43	700	-	-	40x5	700
MA116		10/ 11.6	800	125	50	880	-	-	40x5	880




PRODUCT CODE	MCPS ALUMINIUM HULL ANODES	NET/GROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHT (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
MA155		14/ 15.5	920	125	50	-	-	-	40x5	1020
MA210		20/21	650	110	105	-	-	-	40x5	750






PRODUCT CODE	MCPS ZINC HULL ANODES	NET/GROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHT (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
MZ10		0.95/ 1	140	70	20	180	-	-	20x3	180
MZ18		1.7/ 1.8	160	80	30	205	-	-	20x3	205
MZ30		2.8/3	250	80	25	300	-	-	20x3	300
MZ51		4.6/ 5.1	300	32	80	350	-	-	40x5	350
MZ85		8.1/ 8.5	400	97	35	450	-	-	40x5	450
MZ108		10.2/ 10.8	395	125	43	455	-	-	40x5	455




PRODUCT CODE	MCPS ZINC HULL ANODES	NET/GROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHT (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
MZ160		15.1/ 16	550	127	43	620	-	-	40x5	620
MZ220		20.6/ 22	680	127	45	760	-	-	40x5	760
MZ270		27/ 30.4	800	125	50	880	-	-	40x6	880




PRODUCT CODE	MCPS ALUMINIUM WELD-ON HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
AGW2		0.35/ 0.45	108	76	22	160	-	-	25x3	165
AGW5		0.7/ 0.8	160	88	44	240	-	-	25x3	245
AGW5R		0.7/ 0.8	160	88	50	240	-	-	25x3	245
AGW7R		1.1/ 1.25	170	83	41	245	-	-	25x3	250
AGW10		1.75/ 2	305	80	44	380	-	-	25x3	385
AGW10R		1.75/ 2	305	78	44	380	-	-	25x3	385




PRODUCT CODE	MCPS ALUMINIUM WELD-ON HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
AGW12		2.25/ 2.5	305	114	25	380	-	-	25x3	385
AGW13		2.5/ 2.75	230	152	32	295	-	-	25x3	300
AGW15		3/ 3.5	297	152	32	400	-	-	40x5	405
AGW20		4/ 4.5	350	152	38	460	-	-	40x5	465
AGW22		4.45/ 5.2	355	152	38	460	-	-	40x5	465
AGW30		5.6/ 6.5	457	120	70	580	-	-	40x5	585




PRODUCT CODE	MCPS ALUMINIUM WELD-ON HULL ANODES	NET/GROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHT (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
AGW30R		5/6	450	115	60	580	-	-	40x5	585
AGW30RS		5.6/ 6.5	457	120	70	570	-	-	40x5	575
AGW36R		6/7	457	120	80	570	-	-	40x5	575
A8		7/8	550	130	50	700	-	-	40x5	705
A11		10/11	550	130	65	700	-	-	40x5	705
AGW35		7.5/ 9	813	102	38	913	-	-	40x5	918










PRODUCT CODE	MCPS ALUMINIUM WELD-ON HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
AGW45		10.5/ 11.5	813	102	50	913	-	-	40x5	918
AGWS50		19/ 20.5	990	90	80	1120	-	-	40x5	1125
AGW21		9/10	305	100	40	-	-	-	40x5	250
AGW24		3.5/ 4	300	150	25	300	-	-	40x5	250
AGW25		4/ 4.5	305	152	32	-	-	-	40x5	250
AGW42		7.5/ 8	711	102	38	711	-	-	40x5	210




PRODUCT CODE	MCPS ZINC WELD-ON HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
ZGW2		0.9/1	108	76	22	160	-	-	25x3 Galv	165
ZGW5		2/2.2	160	88	44	240	-	-	25x3 Galv	245
ZGW5R		2/2.1	160	88	50	240	-	-	25x3 Galv	245
ZGW7R		2.8/3	170	83	41	245	-	-	25x3 Galv	250
ZGW10		4.25/4.5	305	80	44	380	-	-	25x3 Galv	385
ZGW10R		4.25/4.5	305	78	44	380	-	-	25x3 Galv	385




PRODUCT CODE	MCPS ZINC WELD-ON HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
ZGW12		5.25/ 5.5	305	114	25	380	-	-	25x3 Galv	385
ZGW13		5.8/6	230	152	32	295	-	-	25x3 Galv	300
ZGW15		7.3/8	297	152	32	400	-	-	40x5	405
ZGW20		9.4/ 10	350	152	38	460	-	-	40x5	465
ZGW22		11.25/ 12	355	152	38	460	-	-	40x5	465
ZGW30		14.5/ 15.5	457	120	70	580	-	-	40x5	585




PRODUCT CODE	MCPS ZINC WELD-ON HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
ZGW30R		13/14	450	115	60	580	-	-	40x5	585
ZGW30RS		14/15	457	120	70	570	-	-	40x5	575
ZGW36R		15.45/ 16.4	457	120	80	570	-	-	40x5	575
Z20		19/20	550	130	50	700	-	-	40x5	705
Z25		24/ 25.1	550	130	55	700	-	-	40x5	705
ZGW35		18/20	813	102	38	913	-	-	40x5	918




PRODUCT CODE	MCPS ZINC WELD-ON HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
ZGW45		25/27	813	102	50	913	-	-	40x5	918
ZGWS50		48/50	990	90	80	1120	-	-	40x5	1125
ZGW21		9/10	305	100	40	-	-	-	40x5	250
ZGW24		6/7	300	150	25	300	-	-	40x5	250
ZGW25		10/11	305	152	32	-	-	-	40x5	250
ZGW42		19/20	711	102	38	711	-	-	40x5	210




PRODUCT CODE	MCPS ALUMINIUM BOLT-ON HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
AGS2		0.35/ 0.45	152	76	38	242	-	200	25x3	245
AGS5		0.7/ 0.86	160	88	44	242	-	200	25x3	245
AGS5R		0.7/ 0.86	160	88	50	242	-	200	25x3	247
AGS7R		1.1/ 1.25	170	83	44	242	-	200	25x3	245
AGS7C		1.15/ 1.4	305	70	32	305	-	155	25x3	280
AGS7		1.15/ 1.4	300	76	38	305	-	200	32x3	250





PRODUCT CODE	MCPS ALUMINIUM BOLT-ON HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
AGS10		1.8/2	305	74	44	305	-	200	32x3	250
AGS10R		1.8/2	305	74	44	305	-	200	32x3	250
ZGS79		1.8/ 1.6	150	150	25	150	-	-	40x5	100
AGS25MR		2.4/3	457	120	38	457	-	229	40x5	363
AGS25M		2.4/3	457	108	38	457	-	229	40x5	363
AGS25MP		2.7/ 3.2	457	115	38	457	-	200	32x3	250




PRODUCT CODE	MCPS ALUMINIUM BOLT-ON HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
AGWS30R		4.5/5	457	102	64	457	-	229	40x5	363
AGS25		4.5/5	457	102	64	457	-	229	40x5	363
AGS25R		4.5/5	457	102	64	457	-	229	40x5	363
ACEGB25R		4.6/ 5.1	457	102	64	457	-	200	40x5	363
AGS30		4.6/ 5.1	457	102	64	457	-	229	40x5	363
AGS35		5/5.4	445	102	64	445	-	229	40x5	363




PRODUCT CODE	MCPS ALUMINIUM BOLT-ON HULL ANODES	NET/GROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHT (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
AGS40		7.65/ 8	603	102	57	603	-	305	40x5	500


PRODUCT CODE	MCPS ZINC BOLT-ON HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHTS (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
ZGCP4		0.5/ 0.55	108	40	10	108	-	42	None	0
ZGS2		1/1.1	152	76	38	242	-	200	25x3	245
ZGS5		2/2.2	160	88	44	242	-	200	25x3 Galv	245
ZGS5R		2/2.1	160	88	50	242	-	200	25x3 Galv	247
ZGS7R		2.85/3	170	83	44	242	-	200	25x3 Galv	245
ZGS7C		3/3.25	305	70	32	305	-	155	25x3 Galv	280




PRODUCT CODE	MCPS ZINC BOLT-ON HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHTS (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
ZGS7		3/ 3.25	300	76	38	305	-	200	32x3 Galv	250
ZGS10		3.8/4	305	74	44	305	-	200	32x3 Galv	250
ZGS10R		3.8/4	305	74	44	305	-	200	32x3 Galv	250
ZGS79		3.9/4	150	150	25	150	-	-	40x5	100
ZGS25MR		6/6.6	457	120	38	457	-	229	40x5	363
ZGS25M		6/6.6	457	108	38	457	-	229	40x5	363










PRODUCT CODE	MCPS ZINC BOLT-ON HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHTS (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
ZGS25MP		7/7.5	457	115	38	457	-	200	32x3 Galv	250
ZGWS30R		11.5/ 12	457	102	64	457	-	229	40x5	363
ZGS25		11.5/ 12	457	102	64	457	-	229	40x5	363
ZGS25R		11.5/ 12	457	102	64	457	-	229	40x5	363
CEGB25R		11.9/ 12.4	457	102	64	457	-	200	40x5	363
ZGS30		12/ 12.4	457	102	64	457	-	229	40x5	363










PRODUCT CODE	MCPS ZINC BOLT-ON HULL ANODES	NET/GROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHTS (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
ZGS35		13/ 13.4	445	102	64	445	-	229	40x5	363
ZGS40		19/20	603	102	57	603	-	305	40x5	500










PRODUCT CODE	MCPS ALUMINIUM TANK ANODES	NET/CROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHT (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
M25TA		2.5/ 3.2	335	50	55	800	-	-	12mm Dia	800
M33TA		3.3/ 4.0	305	63	70	800	-	-	12mm Dia	800
M45TA		4.5/ 5.5	600	50	55	1100	-	-	12mm Dia	1100
M58TA		5.8/ 6.5	3.5	80	95	800	-	-	12mm Dia	800
M70TA		7.0/ 8.0	600	63	70	1100	-	-	12mm Dia	1100
M75TA		7.5/ 9.0	1000	50	55	1500	-	-	12mm Dia	-










PRODUCT CODE	MCPS ALUMINIUM TANK ANODES	NET/CROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHT (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
M87TA		8.7/ 10	762	63	70	1225	-	-	12mm Dia	1225
M100TA		10/ 11	525	80	95	1025	-	-	12mm Dia	1025
M114TA		11.4/ 13.3	1525	50	55	2125	-	-	12mm Dia	2125
M121TA		12.1/ 13.0	600	80	95	1100	-	-	12mm Dia	1100
M150TA		15/ 16.1	750	80	95	1250	-	-	12mm Dia	1250
M170TA		17/ 18.2	850	80	95	1350	-	-	12mm Dia	1350










PRODUCT CODE	MCPS ALUMINIUM TANK ANODES	NET/CROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHT (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
M200TA		20.0/ 21.3	1000	80	95	1500	-	-	12mm Dia	1500
M252TA		25.2/ 26.7	1250	80	95	1750	-	-	12mm Dia	1750
M309TA		30.9/ 32.7	1525	80	95	2125	-	-	12mm Dia	2125
M340TA		34/ 36.4	1515	80	105	2115	-	-	16mm Dia	2115
M350TA		35/ 39.5	1300	100	100	1800	-	-	20mm Dia	1800
M445TA		44.5/ 47.5	2000	80	105	2600	-	-	16mm Dia	2600







PRODUCT CODE	MCPS ALUMINIUM TANK ANODES	NET/CROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHT (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
M480TA		48/ 54	1480	110	110	2080	-	-	25mm Dia	2080
M570TA		57/ 64	1750	110	110	2350	-	-	25mm Dia	2350
M650TA		65/ 74	2000	110	110	2600	-	-	25mm Dia	2600
M700TA		70/ 80	1555	130	130	2155	-	-	25mm Dia	2155
M800TA		80/ 90	1775	130	130	2375	-	-	25mm Dia	2375
M900TA		90/ 101	2000	130	130	2600	-	-	25mm Dia	2600










PRODUCT CODE	MCPS ALUMINIUM TANK ANODES	NET/CROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHT (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
M1000TA		100/ 110	220	130	130	2820	-	-	25mm Dia	2820
M1100TA		110/ 118.5	1595	160	160	2195	-	-	25mm Dia	2195
M1200TA		120/ 129	1740	160	160	2340	-	-	25mm Dia	2340
M1265TA		126.5/ 136.5	2000	117.5	200	2600	-	-	25mm Dia	2600
M1300TA		130/ 139.5	1885	160	160	2485	-	-	25mm Dia	2485
M1350TA		135/ 148	3000	130	130	3600	-	-	25mm Dia	3600




PRODUCT CODE	MCPS ALUMINIUM TANK ANODES	NET/CROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
M1400TA		140/ 150	2030	160	160	2630	-	-	25mm Dia	2630
M1500TA		150/ 160	2175	160	160	2775	-	-	25mm Dia	2775
M1600TA		160/ 171	2320	160	160	2920	-	-	25mm Dia	2920




PRODUCT CODE	MCPS ZINC TANK ANODES	NET/CROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHT (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
M52T		5.2/ 6.0	300	50	50	800	-	-	12mm Dia	800
M101T		10.1/ 11.0	600	50	50	1100	-	-	12mm Dia	1100
ZGRE13		13/ 13.5	1525	35	35	-	-	-	12mm Dia	1550
M150T		15.0/ 16.5	900	50	50	1500	-	-	12mm Dia	1500
M205T		20.5/ 22.0	1225	50	50	1825	-	-	12mm Dia	1825
ZGT22		22/ 23.5	1525	55	50	1100	-	-	12mm Dia	0




PRODUCT CODE	MCPS ZINC TANK ANODES	NET/CROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHT (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
M265T		26.5/ 27.5	500	80	95	1000	-	-	12mm Dia	1000
M318T		31.8/ 32.7	600	80	95	1100	-	-	12mm Dia	1100
M400T		40/ 41.2	750	80	95	1350	-	-	20mm Dia	1350
M500T		50/ 51.3	940	80	95	1540	-	-	20mm Dia	1540




PRODUCT CODE	MCPS ALUMINIUM PIT GUARD ANODES	NET/CROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHT (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
M22TPA		2.2/ 3.1	310	50	55	370	-	-	12mm Dia	370
M32TPA		3.2/ 4.2	430	50	55	500	-	-	12mm Dia	500
M45TPA		4.5/ 5.6	605	50	55	665	-	-	12mm Dia	665
M55TPA		5.5/ 6.4	275	80	95	335	-	-	12mm Dia	335
M70TPA		7.0/ 7.9	350	80	95	410	-	-	12mm Dia	410
M90TPA		9.0/ 10.0	450	80	95	510	-	-	12mm Dia	510




PRODUCT CODE	MCPS ZINC PIT GUARD ANODES	NET/CROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
M50TP		5.0/ 5.9	290	50	50	350	-	-	12mm Dia	350
M100TP		10/ 11.1	580	50	50	640	-	-	12mm Dia	640
M120TP		12/ 13	395	63	70	455	-	-	12mm Dia	455
M150TP		15/ 15.9	280	80	95	340	-	-	12mm Dia	340
M170TP		17/ 17.9	315	80	95	375	-	-	12mm Dia	375
M200TP		20/ 21	370	80	95	430	-	-	12mm Dia	430






PRODUCT CODE	MCPS ALUMINIUM STAND OFF ANODES	NET/CROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHT (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
M1480PA		148/ 167	2375	160	160	2675	-	-	60mm DIA	2675
M1760PA		176/ 191	1735	200	200	2035	-	-	60mm DIA	2035
M2400PA		240/ 260	2365	200	200	2665	-	-	60mm DIA	3225
M3300PA		330/ 390	2375	250	250	2675	-	-	114mm DIA	2675
M4350PA		435/ 505	2985	250	250	3285	-	-	114mm DIA	3285
M5650PA		565/ 645	2975	283	283	3275	-	-	114mm DIA	3275










PRODUCT CODE	MCPS ALUMINIUM STAND OFF ANODES	NET/CROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHT (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
M5660PA		566/ 633	2440	305	305	2740	-	-	114mm DIA	2740








PRODUCT CODE	MCPS ZINC ROD ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
ZR10		0.3/-	500	-	-	-	10	-	None	0
ZR12		0.4/-	500	-	-	-	12	-	None	0
ZR16		0.7/-	500	-	-	-	16	-	None	0
ZR20		1.25/-	500	-	-	-	20	-	None	0
ZR25		1.8/-	500	-	-	-	25	-	None	0
ZR30		2.5/-	500	-	-	-	30	-	None	0










PRODUCT CODE	MCPS ZINC ROD ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
ZR40		4.5/-	500	-	-	-	40	-	None	0
ZR50		7/-	500	-	-	-	50	-	None	0
ZR60		10/-	500	-	-	-	60	-	None	0
ZR70		13.7/-	500	-	-	-	70	-	None	0
ZR80		17.7/-	500	-	-	-	80	-	None	0
ZR90		22.7/-	500	-	-	-	90	-	None	0




PRODUCT CODE	MCPS ZINC ROD ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
ZR100		27.7/-	500	-	-	-	100	-	None	0
ZR200		45/-	250	-	-	-	200	-	None	0
ZR125		46.5/-	500	-	-	-	125	-	None	0
ZR150		66.5/-	500	-	-	-	150	-	None	0









PRODUCT CODE	MCPS ZINC STRIP ANODES	NET/GROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHT (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
ZGST5	 	0.6/ 0.65	125	44	15	-	-	75	25x3 OR AL TOP HAT	100
ZGST6	 	0.5/ 2.55	152	44	15	-	-	-	25x3 OR AL TOP HAT	152
ZGST6D	 	0.5/ 2.55	152	44	15	-	-	-	25x3 OR AL TOP HAT	152
ZGST12	 	0.9/ 1.1	305	44	15	-	-	-	25x3 OR AL TOP HAT	305
ZGST12D	 	0.9/ 1.1	305	44	15	-	-	200	25x3 OR AL TOP HAT	305
ZGST15	 	1.1/ 1.4	381	44	15	-	-	-	M8 25x3 OR AL TOP HAT	380



PRODUCT CODE	MCPS ZINC STRIP ANODES	NET/GROSS WEIGHTS (kg)	A - LENGTH (mm)	B - WIDTH (mm)	C - HEIGHT (mm)	D - OVERALL LENGTH (mm)	E - DIAMETER (mm)	F - FIXING CENTRES (mm)	G - INSERT SIZE (mm)	H - INSERT LENGTH (mm)
ZGST15D		1.1/ 1.4	378	44	15	-	-	229	25x3 OR AL TOP HAT	378
ZGST18		1.3/ 1.65	457	44	15	-	-	-	25x3 OR AL TOP HAT	457
ZGST24		1.8/ 2.2	610	44	15	-	-	-	25x3 OR AL TOP HAT	610
ZGST36		2.7/ 3.3	915	44	15	-	-	-	25x3 OR AL TOP HAT	-
ZGST39		2.9/ 3.5	990	44	15	-	-	-	25x3 OR AL TOP HAT	970
ZGCP4		0.5/ 0.55	112	40	12	-	-	42	M16	-



PRODUCT CODE	MCPS MAGNESIUM HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
MGR2		0.25/ 0.55	-	-	25	-	100	-	M12	0
MGR5		0.75/ 1.65	-	-	25	-	138	-	40x5	100
MGW2		0.4/ 0.5	108	76	22	-	-	-	25x3	0
MGS5R		0.5/ 0.75	164	88	44	245	-	200	25x3	250
MGW7R		0.75/ 0.95	185	83	41	245	-	-	25x3	250
MGW10R		1.1/ 1.5	305	88	44	-	-	-	25x3	390



PRODUCT CODE	MCPS MAGNESIUM HULL ANODES	NET/GROSS WEIGHTS (kg)	A – LENGTH (mm)	B – WIDTH (mm)	C – HEIGHT (mm)	D – OVERALL LENGTH (mm)	E – DIAMETER (mm)	F – FIXING CENTRES (mm)	G – INSERT SIZE (mm)	H – INSERT LENGTH (mm)
MGS10R		1.1/ 1.3	305	88	44	-	-	200	30x3	255
MGW15		2/ 2.75	305	152	32	-	-	-	40x5	405
MGW20		2.6/ 3.5	355	152	32	-	-	-	40x5	460
MGS25R		11.5/ 12	457	102	64	457	-	229	40x5	363
MGW30R		3.5/ 4.5	457	120	70	-	-	-	40x5	580